URINAL: 16 GA. STN/STL ALL WELDED CONTRUCTION WITH INTEGRAL DEPRESSED DRAIN AS SHOWN.

BRACKET: 14 GA. STN/STL ALL WELDED CONSTRUCTION, STUD WELDED TO BOTTOM SURFACE.

NOTES: ALL STN\STL TO BE TYPE 304.
ALL STN\STL TO BE POLISHED TO NO. 3 FINISH.
ALL UNEXPOSED WELDS TO BE COATED WITH ALUMINUM PAINT.
ALL METAL EDGES TO BE FILED SMOOTH. NO SHARP EDGES OR CORNERS.





DETAIL A
SCALE 1.000







SECTION *A-A*

NO.	DATE		BY
		REVISIONS	
ASSEM	SSU-48		

NSF

PRO

THIS DRAWING IS THE PROPERTY OF AMTEKCO INDUSTRIES INC., AND IS TO REMAIN IN THE POSSESSION OF OUR REPRESENTATIVE UNLESS PERMISSION IS GIVEN BY AMTEKCO INDUSTRIES INC., AND MUST BE RETURNED WHEN REQUESTED.

AMTEKCO INDUSTRIES, INC.
MANUFACTURERS OF QUALITY PRODUCTS FOR
THE FOOD MARKETING INDUSTRY
1675 S. HIGH ST. COLUMBUS,OHIO 43207
(614)228-6590 Fax (614)443-4807

AMTEKCO

SSU-48 S/S URINAL

APPROVED BY	CKD BY	DATE 08-Sep-06	SCALE 0.200
		DRAWN BY GANESH	1 of 1
DATE	CODE	DRAWING No. SSU-48	REV.

PART/SHEET